Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Kunststoff-Faerber schwarz

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

colouring agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Appex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

......

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-

isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-

239-6] (3:1), maleic anhydride. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

KochChemie[®] ExcellenceForExperts.

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

Precautionary statement(s)

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Add	ditional informatio	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Con	ncentration		%
	REACH no					
1	2-butoxyethanol					
	111-76-2	Acute Tox. 4; H302	>=	5.00 - <	10.00	wt%
	203-905-0	Acute Tox. 4; H312				
	603-014-00-0	Acute Tox. 4; H332				
	01-2119475108-36	Eye Irrit. 2; H319				
		Skin Irrit. 2; H315				
2	1,2-benzisothiazol-					
	2634-33-5	Acute Tox. 4*; H302	<	0.05		wt%
	220-120-9	Aquatic Acute 1; H400				
	613-088-00-6	Eye Dam. 1; H318				
	-	Skin Irrit. 2; H315				
		Skin Sens. 1; H317				
3		5-chloro-2-methyl-4-isothiazolin-3-one [EC no.				
		ethyl-2H -isothiazol-3-one [EC no. 220-239-6]				
	(3:1)					
	55965-84-9	Acute Tox. 2; H310	<	0.0015		wt%
	-	Acute Tox. 2; H330				
	613-167-00-5	Acute Tox. 3; H301				
	-	Aquatic Acute 1; H400				
		Aquatic Chronic 1; H410				
		EUH071				
		Eye Dam. 1; H318				
		Skin Corr. 1C; H314				
4		Skin Sens. 1A; H317				
4	maleic anhydride	A suita Tay, 4: 11202		0.40		+0/
	108-31-6	Acute Tox. 4; H302	<	0.10		wt%
	203-571-6	EUH071				
	607-096-00-9	Eye Dam. 1; H318 Resp. Sens. 1; H334				
	-					
		Skin Corr. 1B; H314				

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

	Skin Sens. 1A; H317	
	STOT RE 1; H372	

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Skin Sens. 1; H317: C >= 0.05%	-	-
3	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100
4	-	Skin Sens. 1A; H317: C >= 0.001%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

No	Route, target organ, concrete effect
4	H372
	inhalational; respiratory tract; -

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1746 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version : 1.0.1, issued: 25.02.2021Replaced version: 1.0.0, issued: 26.11.2020Region: GB

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing.

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) / EH40				
	2-Butoxyethanol	_		_	

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

WEL short-term (15 min reference period)	246	mg/m³	50	ppm
WEL long-term (8-hr TWA reference period)	123	mg/m³	25	ppm
Comments	Sk, BMGV		•	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	Substance name			10
	Route of exposure Exposure time Eff		Effect	Value	
1	2-butoxyethanol	2-butoxyethanol			
				203-905-0	
	dermal	Long term (chronic)	systemic	125.00	mg/kg/day
	dermal	Short term (acut)	systemic	89.00	mg/kg/day
	inhalative	Long term (chronic)	systemic	98.00	mg/m³
	inhalative	Short term (acut)	systemic	1091.00	mg/m³
	inhalative	Long term (chronic)	local	246.00	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol	·		111-76-2	
				203-905-0	
	oral	Long term (chronic)	systemic	6.30	mg/kg/day
	oral	Short term (acut)	systemic	26.70	mg/kg/day
	dermal	Long term (chronic)	systemic	75.00	mg/kg/day
	dermal	Short term (acut)	systemic	89.00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00	mg/m³
	inhalative	Short term (acut)	systemic	426.00	mg/m³
	inhalative	Long term (chronic)	local	147.00	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	2-butoxyethanol		111-76-2 203-905-0	
	water	fresh water	8.80	mg/L
	water	marine water	0.88	mg/L
	water	fresh water sediment	34.60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3.46	mg/kg
	water	Aqua intermittent	26.4	mg/L
	soil	-	2.33	mg/kg dry weight
	sewage treatment plant	-	463.00	mg/L
	secondary poisoning	-	0.02	g/kg

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

KochChemie[®] ExcellenceForExperts.

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour liquid				
Various, depending on coloration				
Odour				
characteristic				
pH value				
No data available				
Boiling point / boiling range Value		100		
		100	<u> </u>	
Melting point/freezing point No data available				
Decomposition temperature				
No data available				
Flash point				
Value		100	°C	
Ignition temperature Value		0.40	°C	
Value Method	DIN 51794	240		
Oxidising properties				
not oxidizing				
Explosive properties				
The product does not have explosive properties.				
Flammability				
No data available				
Lower explosion limit No data available				
Upper explosion limit				
No data available				
Vapour pressure				
Value		23	hPa	
Relative vapour density No data available				

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

Re	lative	density
	1 1	

No data available

Density		
Value	1.26 g/cm ³	
Reference temperature	20 °C	
Method	DIN FN ISO 2811-1	

Solubility in water

Comments Completely miscible

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
log F	Pow		0.81		
Reference temperature			25	°C	
Source		ECHA			

Viscosity		
Value	50	S
Method	DIN 53211 (4 mm)	

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	Kunststoff-Faerber schwarz			
Comments		The result of the applied calculation method according to the		
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,		
		Part 3 of Annex I is outside the values that imply a classification /		

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

labelling of this mixture according to table 3.1.1 defining the
respective categories (ATE oral > 2000 mg/kg).

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
LD5	0			1746	mg/kg bodyweight
Spe	cies	rat			
Met	nod	OECD 401			
Sou	rce	ECHA			

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	Kunststoff-Faerber schwarz				
Comments		The result of the applied calculation method according to the			
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,			
		Part 3 of Annex I is outside the values that imply a classification /			
		labelling of this mixture according to table 3.1.1 defining the			
		respective categories (ATE dermal > 2000 mg/kg).			

Acu	Acute dermal toxicity				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
LD5	0	>	2000	mg/kg bodyweight	
Spe	cies	guinea pig			
Meth	nod	OECD 402			
Soul	rce	ECHA			

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	Kunststoff-Faerber schwarz			
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).		

Acu	te inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
ATE				1.5	mg/l	
Dura	ation of exposure			4	h	
State of aggregation		Dust/mist				
		rat				

Skin	corrosion/irritation				
No	Substance name		CAS no.	EC no.	
1	2-butoxyethanol		111-76-2	203-905-0	
Dura	ation of exposure		4	h	
Spe	cies	rabbit			
Meth	nod	EU B.4			
Soul	rce	ECHA			
Eval	uation	irritant			

Seri	ous eye damage/irritation			
No	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
Dura	ation of exposure		24	h
Spe	cies	rabbit		

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

Method	OECD 405
Source	ECHA
Evaluation	Irritating to eyes

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Rou	te of exposure	Skin	
Spe	cies	guinea pig	
Metl	nod	OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	

Ger	m cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	2-butoxyethanol	111-76-2	203-905-0		
Method		OECD 471			
Sou	rce	ECHA	ECHA		
Evaluation/classification		Based on available data, the class	Based on available data, the classification criteria are not met.		

Reproduction toxicity	
No data available	

Card	Carcinogenicity				
No	Substance name	CAS no.	EC no.		
1	2-butoxyethanol	111-76-2	203-905-0		
Species		rat			
Method		OECD 451			
Source		ECHA			
Eval	uation/classification	Based on available data, the classification	n criteria are not met.		

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	icity to fish (acute)				
No	Substance name	CAS	no.	EC no.	
1	2-butoxyethanol	111-7	76-2	203-905-0	
LC5	0	>	1474	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus myk	iss		
Met	hod	OECD 203			
Sou	rce	ECHA			

Toxicity to fish (chronic)			
No Substance name	CAS no.	EC no.	

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

1 2-butoxyethanol	111-76-2		203-905-0
NOEC	>	100	mg/l
Duration of exposure		21	day(s)
Species	Danio rerio		
Method	OECD 204		
Source	ECHA		

Toxi	city to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
EC5	0		1550	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Method		OECD 202			
Source		ECHA			

Toxi	city to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
NOE	C		100	mg/l	
Dura	ation of exposure		21	day(s)	
Spe	cies	Daphnia magna			
Method		OECD 211			
Soul	rce	ECHA			

Toxi	icity to algae (acute)			
No	Substance name	CAS no.	EC no.	
1	2-butoxyethanol	111-76-2	203-905-0	
EC5	0		911 mg/l	
Dura	ation of exposure		72 h	
Species		Pseudokirchneriella subcapita	ata	
Method		OECD 201		
Sou	rce	ECHA		

Toxicity to algae (chronic)
No data available

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

<u> </u>	iz i ersistence and degradability					
Biod	degradability					
No	Substance name	CAS no.		EC no.		
1	2-butoxyethanol	111-76-2		203-905-0		
Туре	e	aerobic biodegradation				
Valu	e		90.4	%		
Dura	ation		28	day(s)		
Meth	hod	OECD 301 B				
Source		ECHA				
Evaluation		readily biodegradable				

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.		EC no.		
1	2-butoxyethanol	111-76-2		203-905-0		
log F	Pow		0.81			
Reference temperature			25	°C		
Soul	rce	ECHA				

12.4 Mobility in soil

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assess	sment
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

-		4.
Other	Intorm	nation

Do not discharge product unmonitored into the environment

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant



Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

Corrosive to the respiratory tract. EUH071 H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Causes serious eye irritation. H319 H330 Fatal if inhaled.

H332

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

EU safety data sheet

KochChemie® ExcellenceForExperts.

Trade name: Kunststoff-Faerber schwarz

Product no.: 251999

Current version: 1.0.1, issued: 25.02.2021 Replaced version: 1.0.0, issued: 26.11.2020 Region: GB

various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770869